

**IN THE CLAIMS:**

*Please amend the claims as follows:*

1. (Currently amended) ~~A method for transmitting a multimedia message~~, comprising:  
making a request in a device for establishing a connection with a receiver,  
as a response to a failed attempt for establishing ~~a~~the connection, the device  
automatically starting a multimedia messaging service (MMS) ~~of the device~~ and activating a  
recording function of a sound clip,  
recording a voice message as a sound clip of a multimedia message in a volatile random  
access memory of the device, and  
transmitting the created multimedia message to the receiver.
2. (Currently amended) ~~A~~The method according to claim 1, wherein ~~the method comprises~~  
~~including an identifier~~ is included in the multimedia message, by which identifier the multimedia  
message can be identified as created automatically as a response to a failed attempt for  
establishing ~~a~~the connection.
3. (Currently amended) ~~A~~The method according to claim 1, wherein ~~the method comprises~~  
~~attaching in the multimedia message~~, in addition to the sound clip, one or a combination of the  
following is attached in the multimedia message: text, picture, and video image ~~or a combination~~  
~~of these~~.
4. (Currently amended) ~~A~~The method according to claim 1, wherein the multimedia message  
containing the recorded sound clip is automatically transmitted to the receiver.
5. (Currently amended) ~~A~~The method according to claim 1, wherein the multimedia message  
containing the recorded sound clip is transmitted to the receiver as a response to a  
~~confirming confirmation of the~~a message sending function.
6. (Currently amended) ~~A~~The method according to claim 1, wherein the multimedia message is  
transmitted to ~~the~~a number to which the original request for establishing connection was made.

7. (Currently amended) ~~A~~ The method according to claim 1, wherein the multimedia message is transmitted to ~~the~~ a voicemail box of ~~the~~ a number to which original request for establishing a connection was made.

8. (Currently amended) A device ~~for transmitting a multimedia message~~, comprising:  
means for making a control unit, arranged to make a request for establishing a connection targeting to with a receiver,  
wherein means for starting said control unit is arranged to start a multimedia messaging service (MMS) of the device and activate for activating a recording function of a sound clip of said service automatically as a response to a failed attempt for establishing a the connection,  
means for recording a random access memory, arranged to record a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and  
means for transmitting a transmitter, arranged to transmit the created multimedia message to the receiver.

9. (Currently amended) ~~A~~ The device according to claim 8, wherein ~~the device includes means for adding to the multimedia message~~ includes an identifier indicating that the multimedia message was created automatically.

10. (Currently amended) ~~A~~ The device according to claim 8, wherein ~~the device also includes means for attaching to the multimedia message~~, in addition to the sound clip, one or a combination of the following is attached to the multimedia message: text, picture, and video image or a combination of these.

11. (Currently amended) ~~A~~ The device according to claim 8, wherein ~~the device includes means for transmitting the created multimedia message~~ is transmitted automatically to the a number of the receiver to which the original request for establishing a the connection was made.

12. (Currently amended) ~~A-The device according to claim 8, wherein the device includes means for transmitting the created multimedia message is transmitted as a response to confirming a confirmation of the a multimedia message transmission function.~~

13. (Currently amended) ~~A-The device according to claim 8, wherein the device includes means for transmitting the multimedia message is transmitted to the a number to which the original request for establishing a the connection was made.~~

14. (Currently amended) ~~A-The device according to claim 8, wherein the device includes means for transmitting the multimedia message is transmitted to a voicemail box connected to the a number to which the original request for establishing a the connection was made.~~

15. (Canceled)

16. (Currently amended) A computer program product having program code stored on a readable medium for execution by a processor in a device, ~~the computer program product for transmitting a multimedia message, comprising~~ wherein the program code comprises:

~~programmative means~~ instructions for making a request for establishing a connection ~~targeting to~~ with a receiver,

~~programmative means~~ instructions for starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip ~~of said service~~ automatically as a response to a failed attempt for establishing ~~a the~~ connection,

~~programmative means~~ instructions for recording a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and

~~programmative means~~ instructions for transmitting the created multimedia message to the receiver.

17. (New) A device, comprising:

means for making a request for establishing a connection with a receiver,

means for starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip of said service automatically as a response to a failed attempt for establishing the connection,

means for recording a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and

means for transmitting the created multimedia message to the receiver.